ELSEVIER

Brain Research 840 (1999) 206–207

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akassoglou, K., see Aloe, L. (840) 125
Alam, Md.N., see Steininger, T.L. (840) 138
Aloe, L., Properzi, F., Probert, L., Akassoglou, K., Kassiotis, G., Micera, A. and Fiore, M. Learning abilities, NGF and BDNF brain levels in two lines of TNF-α transgenic mice, one characterized by neurological disorders, the other phenotypically normal (840) 125
Anisman, H., see McIntyre, D.C. (840) 65
Anzawa, N., see Kubota, T. (840) 175
Arita, K., see Takeshita, S. (840) 99

Balestrino, M., see Melani, R. (840) 171
Barbelivien, A., Bertrand, N., Besret, L., Beley, A., MacKenzie, E.T. and Dauphin, F. Neurochemical stimulation of the rat substantia innominata increases cerebral blood flow (but not glucose use) through the parallel activation of cholinergic and non-cholinergic pathways (840) 115
Barnéoud, P., see Castagné, V. (840) 162
Beekwilder, J.P., see Dijkhuizen, R.M. (840) 194
Beley, A., see Barbelivien, A. (840) 115
Berkelbach van der Sprenkel, J.W., see Dijkhuizen, R.M. (840) 194
Bertrand, N., see Barbelivien, A. (840) 115
Besret, L., see Barbelivien, A. (840) 115
Blumberg, P.M., see Szabo, T. (840) 92
Bonnet, U. and Wiemann, M. Ammonium prepulse: effects on intracellular pH and bioelectric activity of CA3-neurones in guinea pig hippocampal slices (840) 16
Brown, N., see Huang, C.-m. (840) 148
Bunai, Y., see Hara, A. (840) 167

Castagné, V., Barnéoud, P. and Clarke, P.G.H. Protection of axotomized ganglion cells by salicylic acid (840) 162
Chopp, M., see Sahin Kaya, S. (840) 153
Cirelli, C., Shaw, P.J., Rechtschaffen, A. and Tononi, G. No evidence of brain cell degeneration after long-term sleep deprivation in rats (840) 184
Clarke, P.G.H., see Castagné, V. (840) 162
Cox, B.F., see Jarvis, M.F. (840) 75
Cupello, A., see Melani, R. (840) 171

Dauphin, F., see Barbelivien, A. (840) 115
DeAtley, S.M., see Gewirtz, R.J. (840) 84
Dhillon, H.S., see Gewirtz, R.J. (840) 84
Dijkhuizen, R.M., Beekwilder, J.P., Van der Worp, H.B., Berkelbach van der Sprenkel, J.W., Tulleken, K.A.F. and Nicolay, K. Correlation between tissue depolarizations and damage in focal ischemic rat brain (840) 194

Fiore, M., see Aloe, L. (840) 125
Fischer, M. and Schäfer, S.S. Temperature effects on the discharge frequency of primary and secondary endings of isolated cat muscle spindles recorded under a ramp-and-hold stretch (840) 1

Games, D., see Larson, J. (840) 23
Gessner, G., see Jarvis, M.F. (840) 75
Gewirtz, R.J., Dhillon, H.S., Goes, S.E., DeAtley, S.M. and Scheff, S.W. Lactate and free fatty acids after subarachnoid hemorrhage (840) 84
Goes, S.E., see Gewirtz, R.J. (840) 84
Gong, H., see Steininger, T.L. (840) 138
Goodnight, A.L., see Heideman, P.D. (840) 56

Haglid, K., see Melani, R. (840) 171
Hara, A., Niwa, M., Iwai, T., Yano, H., Nakashima, M., Bunai, Y., Uematsu, T., Yoshimi, N. and Mori, H. Failure of preventive effects of 2-deoxy-D-glucose on ischemia-induced gerbil hippocampal neuronal damage by induced hyperthermia (840) 167
Harrington, M.E., see Schak, K.M. (840) 158
Hayley, S., see McIntyre, D.C. (840) 65
Heideman, P.D., Kane, S.L. and Goodnight, A.L. Differences in hypothalamic 2-[^{125}I]iodomelatonin binding in photoresponsive and non-photoresponsive white-footed mice, *Peromyscus leucopus* (840) 56
Herrero, J.F. and Solano, R.E. The antinociceptive effect of the μ-opioid fentanyl is reduced in the presence of the α_2-adrenergic antagonist idazoxan in inflammation (840) 106
Hirota, K., see Kubota, T. (840) 175
Huang, C.-m., Brown, N. and Huang, R.H. Age-related changes in the cerebellum: parallel fibers (840) 148
Huang, R.H., see Huang, C.-m. (840) 148
Hydèn, H., see Melani, R. (840) 171

Iadarola, M.J., see Szabo, T. (840) 92
Imada, N., see Koyama, Y. (840) 45
Ishihara, K., see Takeshita, S. (840) 99
Iwai, T., see Hara, A. (840) 167
Izumi, R., see Takeshita, S. (840) 99

Jarvis, M.F., Gessner, G., Shapiro, G., Merkel, L., Myers, M., Cox, B.F. and Martin, G.E. Differential effects of the adenosine A_1 receptor allosteric enhancer PD 81,723 on agonist binding to brain and adipocyte membranes (840) 75

Kane, S.L., see Heideman, P.D. (840) 56
Kaneko, T., see Li, Y.-Q. (840) 179
Kassiotis, G., see Aloe, L. (840) 125
Kawauchi, A., see Koyama, Y. (840) 45
Kayama, Y., see Koyama, Y. (840) 45
Kent, P., see McIntyre, D.C. (840) 65
Koyama, Y., Imada, N., Kawauchi, A. and Kayama, Y. Firing of putative cholinergic neurons and micturition center neurons in the rat laterodorsal tegmentum during distention and contraction of urinary bladder (840) 45
Kubota, T., Hirota, K., Anzawa, N., Yoshida, H., Kushikata, T. and Matsuki, A. Physostigmine antagonizes ketamine-induced noradrenaline release from the medial prefrontal cortex in rats (840) 175
Kurisu, K., see Takeshita, S. (840) 99
Kushikata, T., see Kubota, T. (840) 175

Larson, J., Lynch, G., Games, D. and Seubert, P. Alterations in synaptic transmission and long-term potentiation in hippocampal slices from young and aged PDAPP mice (840) 23
Li, H., see Li, Y.-Q. (840) 179
Li, Y., see Sahin Kaya, S. (840) 153
Li, Y.-Q., Li, H., Kaneko, T. and Mizuno, N. Local circuit neurons showing calbindin D28k-immunoreactivity in the substantia gelatinosa of the medullary dorsal horn of the rat. An immunohistochemical study combined with intracellular staining in slice preparation (840) 179
Lynch, G., see Larson, J. (840) 23

MacKenzie, E.T., see Barbelivien, A. (840) 115
Mahmood, A., see Sahin Kaya, S. (840) 153
Martin, G.E., see Jarvis, M.F. (840) 75
Matsubayashi, H., see Takeshita, S. (840) 99

ELSEVIER

Brain Research 840 (1999) 206–207

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akassoglou, K., see Aloe, L. (840) 125
Alam, Md.N., see Steininger, T.L. (840) 138
Aloe, L., Properzi, F., Probert, L., Akassoglou, K., Kassiotis, G., Micera, A. and Fiore, M. Learning abilities, NGF and BDNF brain levels in two lines of TNF-α transgenic mice, one characterized by neurological disorders, the other phenotypically normal (840) 125
Anisman, H., see McIntyre, D.C. (840) 65
Anzawa, N., see Kubota, T. (840) 175
Arita, K., see Takeshita, S. (840) 99

Balestrino, M., see Melani, R. (840) 171
Barbelivien, A., Bertrand, N., Besret, L., Beley, A., MacKenzie, E.T. and Dauphin, F. Neurochemical stimulation of the rat substantia innominata increases cerebral blood flow (but not glucose use) through the parallel activation of cholinergic and non-cholinergic pathways (840) 115
Barnéoud, P., see Castagné, V. (840) 162
Beekwilder, J.P., see Dijkhuizen, R.M. (840) 194
Beley, A., see Barbelivien, A. (840) 115
Berkelbach van der Sprenkel, J.W., see Dijkhuizen, R.M. (840) 194
Bertrand, N., see Barbelivien, A. (840) 115
Besret, L., see Barbelivien, A. (840) 115
Blumberg, P.M., see Szabo, T. (840) 92
Bonnet, U. and Wiemann, M. Ammonium prepulse: effects on intracellular pH and bioelectric activity of CA3-neurones in guinea pig hippocampal slices (840) 16
Brown, N., see Huang, C.-m. (840) 148
Bunai, Y., see Hara, A. (840) 167

Castagné, V., Barnéoud, P. and Clarke, P.G.H. Protection of axotomized ganglion cells by salicylic acid (840) 162
Chopp, M., see Sahin Kaya, S. (840) 153
Cirelli, C., Shaw, P.J., Rechtschaffen, A. and Tononi, G. No evidence of brain cell degeneration after long-term sleep deprivation in rats (840) 184
Clarke, P.G.H., see Castagné, V. (840) 162
Cox, B.F., see Jarvis, M.F. (840) 75
Cupello, A., see Melani, R. (840) 171

Dauphin, F., see Barbelivien, A. (840) 115
DeAtley, S.M., see Gewirtz, R.J. (840) 84
Dhillon, H.S., see Gewirtz, R.J. (840) 84
Dijkhuizen, R.M., Beekwilder, J.P., Van der Worp, H.B., Berkelbach van der Sprenkel, J.W., Tulleken, K.A.F. and Nicolay, K. Correlation between tissue depolarizations and damage in focal ischemic rat brain (840) 194

Fiore, M., see Aloe, L. (840) 125
Fischer, M. and Schäfer, S.S. Temperature effects on the discharge frequency of primary and secondary endings of isolated cat muscle spindles recorded under a ramp-and-hold stretch (840) 1

Games, D., see Larson, J. (840) 23
Gessner, G., see Jarvis, M.F. (840) 75
Gewirtz, R.J., Dhillon, H.S., Goes, S.E., DeAtley, S.M. and Scheff, S.W. Lactate and free fatty acids after subarachnoid hemorrhage (840) 84
Goes, S.E., see Gewirtz, R.J. (840) 84
Gong, H., see Steininger, T.L. (840) 138
Goodnight, A.L., see Heideman, P.D. (840) 56

Haglid, K., see Melani, R. (840) 171
Hara, A., Niwa, M., Iwai, T., Yano, H., Nakashima, M., Bunai, Y., Uematsu, T., Yoshimi, N. and Mori, H. Failure of preventive effects of 2-deoxy-D-glucose on ischemia-induced gerbil hippocampal neuronal damage by induced hyperthermia (840) 167
Harrington, M.E., see Schak, K.M. (840) 158
Hayley, S., see McIntyre, D.C. (840) 65
Heideman, P.D., Kane, S.L. and Goodnight, A.L. Differences in hypothalamic 2-[^{125}I]iodomelatonin binding in photoresponsive and non-photoresponsive white-footed mice, *Peromyscus leucopus* (840) 56
Herrero, J.F. and Solano, R.E. The antinociceptive effect of the μ-opioid fentanyl is reduced in the presence of the α_2-adrenergic antagonist idazoxan in inflammation (840) 106
Hirota, K., see Kubota, T. (840) 175
Huang, C.-m., Brown, N. and Huang, R.H. Age-related changes in the cerebellum: parallel fibers (840) 148
Huang, R.H., see Huang, C.-m. (840) 148
Hydèn, H., see Melani, R. (840) 171

Iadarola, M.J., see Szabo, T. (840) 92
Imada, N., see Koyama, Y. (840) 45
Ishihara, K., see Takeshita, S. (840) 99
Iwai, T., see Hara, A. (840) 167
Izumi, R., see Takeshita, S. (840) 99

Jarvis, M.F., Gessner, G., Shapiro, G., Merkel, L., Myers, M., Cox, B.F. and Martin, G.E. Differential effects of the adenosine A_1 receptor allosteric enhancer PD 81,723 on agonist binding to brain and adipocyte membranes (840) 75

Kane, S.L., see Heideman, P.D. (840) 56
Kaneko, T., see Li, Y.-Q. (840) 179
Kassiotis, G., see Aloe, L. (840) 125
Kawauchi, A., see Koyama, Y. (840) 45
Kayama, Y., see Koyama, Y. (840) 45
Kent, P., see McIntyre, D.C. (840) 65
Koyama, Y., Imada, N., Kawauchi, A. and Kayama, Y. Firing of putative cholinergic neurons and micturition center neurons in the rat laterodorsal tegmentum during distention and contraction of urinary bladder (840) 45
Kubota, T., Hirota, K., Anzawa, N., Yoshida, H., Kushikata, T. and Matsuki, A. Physostigmine antagonizes ketamine-induced noradrenaline release from the medial prefrontal cortex in rats (840) 175
Kurisu, K., see Takeshita, S. (840) 99
Kushikata, T., see Kubota, T. (840) 175

Larson, J., Lynch, G., Games, D. and Seubert, P. Alterations in synaptic transmission and long-term potentiation in hippocampal slices from young and aged PDAPP mice (840) 23
Li, H., see Li, Y.-Q. (840) 179
Li, Y., see Sahin Kaya, S. (840) 153
Li, Y.-Q., Li, H., Kaneko, T. and Mizuno, N. Local circuit neurons showing calbindin D28k-immunoreactivity in the substantia gelatinosa of the medullary dorsal horn of the rat. An immunohistochemical study combined with intracellular staining in slice preparation (840) 179
Lynch, G., see Larson, J. (840) 23

MacKenzie, E.T., see Barbelivien, A. (840) 115
Mahmood, A., see Sahin Kaya, S. (840) 153
Martin, G.E., see Jarvis, M.F. (840) 75
Matsubayashi, H., see Takeshita, S. (840) 99

Matsuki, A., see Kubota, T. (840) 175
McGinty, D., see Steininger, T.L. (840) 138
McIntyre, D.C., Kent, P., Hayley, S., Merali, Z. and Anisman, H.
Influence of psychogenic and neurogenic stressors on neuroendocrine and central monoamine activity in fast and slow kindling rats (840) 65
Melani, R., Rebaudo, R., Balestrino, M., Cupello, A., Haglid, K. and Hydèn, H.
Involvement of S-100 protein in anoxic long-term potentiation (840) 171
Merali, Z., see McIntyre, D.C. (840) 65
Merkel, L., see Jarvis, M.F. (840) 75
Micera, A., see Aloe, L. (840) 125
Mitake, S., see Suzuki, T. (840) 36
Mizuno, N., see Li, Y.-Q. (840) 179
Mori, H., see Hara, A. (840) 167
Murata, S., see Suzuki, T. (840) 36
Myers, M., see Jarvis, M.F. (840) 75

Nakashima, M., see Hara, A. (840) 167
Nicolay, K., see Dijkhuizen, R.M. (840) 194
Niwa, M., see Hara, A. (840) 167

Okada, M., see Takeshita, S. (840) 99
Olah, Z., see Szabo, T. (840) 92

Probert, L., see Aloe, L. (840) 125
Properzi, F., see Aloe, L. (840) 125

Rebaudo, R., see Melani, R. (840) 171
Rechtschaffen, A., see Cirelli, C. (840) 184

Sahin Kaya, S., Mahmood, A., Li, Y., Yavuz, E. and Chopp, M.
Expression of nestin after traumatic brain injury in rat brain (840) 153
Sasa, M., see Takeshita, S. (840) 99
Schäfer, S.S., see Fischer, M. (840) 1
Schak, K.M. and Harrington, M.E.
Protein kinase C inhibition and activation phase advances the hamster circadian clock (840) 158
Scheff, S.W., see Gewirtz, R.J. (840) 84
Seubert, P., see Larson, J. (840) 23
Shapiro, G., see Jarvis, M.F. (840) 75
Shaw, P.J., see Cirelli, C. (840) 184
Solano, R.E., see Herrero, J.F. (840) 106
Steininger, T.L., Alam, Md.N., Gong, H., Szymusiak, R. and McGinty, D.
Sleep–waking discharge of neurons in the posterior lateral hypothalamus of the albino rat (840) 138
Suzuki, T., Mitake, S. and Murata, S.
Presence of up-stream and downstream components of a mitogen-activated protein kinase pathway in the PSD of the rat forebrain (840) 36
Szabo, T., Olah, Z., Iadarola, M.J. and Blumberg, P.M.
Epidural resiniferatoxin induced prolonged regional analgesia to pain (840) 92
Szymusiak, R., see Steininger, T.L. (840) 138

Takeshita, S., Sasa, M., Ishihara, K., Matsubayashi, H., Yajin, K., Okada, M., Izumi, R., Arita, K. and Kurisu, K.
Cholinergic and glutamatergic transmission in medial vestibular nucleus neurons responding to lateral roll tilt in rats (840) 99
Tononi, G., see Cirelli, C. (840) 184
Tulleken, K.A.F., see Dijkhuizen, R.M. (840) 194

Uematsu, T., see Hara, A. (840) 167

Van der Worp, H.B., see Dijkhuizen, R.M. (840) 194

Wiemann, M., see Bonnet, U. (840) 16

Yajin, K., see Takeshita, S. (840) 99
Yano, H., see Hara, A. (840) 167
Yavuz, E., see Sahin Kaya, S. (840) 153
Yoshida, H., see Kubota, T. (840) 175
Yoshimi, N., see Hara, A. (840) 167